





STRUCTURES OPEN SPACE-KERAGLASS

Open space retractable structures are designed to be easily opened and closed, giving you the flexibility of an indoor or outdoor living experience in the same area. Operation can be manual or motorized, system for structural safety and ease of operation.


Open space structures are manufactured to sites specific and user needs from 6 base models. There are extensive door and window options to provide access and ventilation without opening the system.




Largest Modules at the End



Largest Modules in the Middle



Largest Modules at the Fixed End




4



Retractable Structures Full Height

Max Width	: 12m (40')
Max Length	: 60m (196')
Frames	: 4
Operation	: Motorized or Manual
Glazing	: PC or Glass




6



Retractable Structures Full Height

Max Width	: 16m (52')
Max Length	: 60m (196')
Frames	: 6
Operation	: Motorized or Manual
Glazing	: PC or Glass




8



Retractable Structures Full Height

Max Width	: 18m (59')
Max Length	: 60m (196')
Frames	: 8
Operation	: Motorized or Manual
Glazing	: PC or Glass



Retractable Structures


Inclined Sides





4




- Max Width : 14m (46')
- Max Length : 60m (196')
- Frames : 4
- Operation : Motorized or Manual
- Glazing : PC or Glass



Retractable Structures 6 Inclined Sides



- Max Width : 18m (59')
- Max Length : 60m (196')
- Frames : 6
- Operation : Motorized or Manual
- Glazing : PC or Glass



Retractable Sides

Structures



8



- Max Width : 20m (66')
- Max Length : 60m (196')
- Frames : 8
- Operation : Motorized or Manual
- Glazing : PC or Glass

